Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
52	467	(712/204,300):CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/01 11:03
S1	2324	(711/154,155,171,201).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/01 11:03
S3	2166	(((711/154,155,171,201).CCLS.) ((712/204,300).CCLS.)) and @ad < "20010828"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/01 11:04
S4	488	(((((711/154,155,171,201).CCLS.) ((712/204,300).CCLS.)) and @ad < "20010828") and (align\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/01 11:05
S5	357	((((711/154,155,171,201).CCLS.) ((712/204,300).CCLS.)) and @ad < "20010828") and mask	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/01 11:06
S6	70	(((((711/154,155,171,201).CCLS.) ((712/204,300).CCLS.)) and @ad < "20010828") and (mask\$3 same align\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/01 11:17
S7	16	(((((711/154,155,171,201).CCLS.) ((712/204,300).CCLS.)) and @ad < "20010828") and (mask\$3 same align\$4 same store)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/01 11:28
S8	48	(data same mask\$3 same align\$4 same (stor\$3 near4 instruction)) and @ad < "20010828"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/01 14:36
S10	2	("4814976").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/01 18:48
S11	50	"4814976".URPN.	USPAT	OR	ON	2004/07/01 18:51

S12	49	"4814976".URPN. and @ad < "20010828"	USPAT	OR	ON	2004/07/01 18:58
S13	23	("4814976" URPN. and @ad < "20010828") and (store with align\$4)	USPAT	OR	ON	2004/07/01 19:00
S14	3	("4814976".URPN. and @ad < "20010828") and ((store with align\$4) same mask\$3)	USPAT	OR	ON	2004/07/01 19:01
S9	36	(((data byte word) near2 align\$4) same mask\$3 same (stor\$3 with instruction)) and @ad < "20010828"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/01 19:06
S15	32	(((data byte word) near2 (align\$4 unalign\$4)) same mask\$3 same (store with (align\$4 unalign\$4))) and @ad < "20010828"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/01 19:28
S17	93	(((data byte word) near5 (align\$4 unalign\$4)) same mask\$3 same ((store write) with (align\$4 unalign\$4))) and @ad < "20010828"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/19 17:33
S16	62	(((data byte word) near2 (align\$4 unalign\$4)) same mask\$3 same ((store write) with (align\$4 unalign\$4))) and @ad < "20010828"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/19 17:33
S19	14	(((((data byte word) near5 (align\$4 unalign\$4)) same mask\$3 same ((store write) with (align\$4 unalign\$4))) and @ad < "20010828") and (align\$4 with register)) and ((read write) near buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/20 18:05
S18	37	((((data byte word) near5 (align\$4 unalign\$4)) same mask\$3 same ((store write) with (align\$4 unalign\$4))) and @ad < "20010828") and (align\$4 with register)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/20 18:05
S20	2	("4814976").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/21 12:00

S21	1	US20030056064A1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 19:56
S42	1	US20030056064A1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/17 13:33
S41	2	("4814976").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/17 13:33
S40	15	(((((data byte word) near5 (align\$4 unalign\$4)) same mask\$3 same ((store write) with (align\$4 unalign\$4))) and @ad < "20010828") and (align\$4 with register)) and ((read write) near buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/17 13:33
S39	38	((((data byte word) near5 (align\$4 unalign\$4)) same mask\$3 same ((store write) with (align\$4 unalign\$4))) and @ad < "20010828") and (align\$4 with register)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/17 13:33
S38	95	(((data byte word) near5 (align\$4 unalign\$4)) same mask\$3 same ((store write) with (align\$4 unalign\$4))) and @ad < "20010828"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/17 13:33
S37	63	(((data byte word) near2 (align\$4 unalign\$4)) same mask\$3 same ((store write) with (align\$4 unalign\$4))) and @ad < "20010828"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/17 13:33
S36	33	(((data byte word) near2 (align\$4 unalign\$4)) same mask\$3 same (store with (align\$4 unalign\$4))) and @ad < "20010828"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/17 13:33
S35	3	("4814976".URPN. and @ad < "20010828") and ((store with align\$4) same mask\$3)	USPAT	OR	ON	2004/12/17 13:33
S34	24	("4814976".URPN. and @ad < "20010828") and (store with align\$4)	USPAT	OR	ON	2004/12/17 13:33

S33	50	"4814976".URPN. and @ad < "20010828"	USPAT	OR	ON	2004/12/17 13:33
S32	51	"4814976".URPN.	USPAT	OR	ON	2004/12/17 13:33
S31	2	("481 4 976").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/17 13:33
S30	36	(((data byte word) near2 align\$4) same mask\$3 same (stor\$3 with instruction)) and @ad < "20010828"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/17 13:33
S29	48	(data same mask\$3 same align\$4 same (stor\$3 near4 instruction)) and @ad < "20010828"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/17 13:33
S28	17	((((711/154,155,171,201).CCLS.) ((712/204,300).CCLS.)) and @ad < "20010828") and (mask\$3 same align\$4 same store)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/17 13:33
S27	73	(((((711/154,155,171,201).CCLS.) ((712/204,300).CCLS.)) and @ad < "20010828") and (mask\$3 same align\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/17 13:33
S26	370	(((((711/154,155,171,201).CCLS.) ((712/204,300).CCLS.)) and @ad < "20010828") and mask	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/17 13:33
S25	499	((((711/154,155,171,201).CCLS.) ((712/204,300).CCLS.)) and @ad < "20010828") and (align\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/17 13:33
S24	2216	(((711/154,155,171,201):CCLS.) ((712/204,300):CCLS.)) and @ad < "20010828"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/17 13:33
S23	514	(712/204,300).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/17 13:33

S22	2510	(711/154,155,171,201).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/17 13:33
L2	17	(((((711/154,155,171,201).CCLS.) ((712/204,300).CCLS.)) and @ad < "20010828") and (mask\$3 same align\$4 same store)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ÖR	ON	2005/10/14 13:13
L1	2288	(((711/154,155,171,201).CCLS.) ((712/204,300).CCLS.)) and @ad < "20010828"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 13:13
L3	50	(data same mask\$3 same align\$4 same (stor\$3 near4 instruction)) and @ad < "20010828"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 13:22
L4	35	(((data byte word) near2 (align\$4 unalign\$4)) same mask\$3 same (store with (align\$4 unalign\$4))) and @ad < "20010828"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 13:23

						T
L5	75	("4135242" "4149263"	US-PGPUB;	OR	ON	2005/10/14 13:24
		"4495598" "4814976"	USPAT;		[
		"4814981" "4916654"	USOCR			
		"5222225" "5251311"				
		"5291586" "5313231"				
		"5386531" "5386565"				
		"5423010" "5423050"				
		"5434804" "5440705"				
	:	"5448576" "5452432"				
		"5455936" "5479652"]		
		"5483518" "5488688"				
		"5499380" "5530965"				
		"5570375" "5590354"				
		"5596734" "5598551"				
		"5608881" "5613153"				
		"5627842" "5655065"				
		"5657273" "5682545"				
		"5704034" j "5708773" j				
		"5724549" "5737516"			•	
		"5751621" "5768152"				
		"5771240" "5774701"		·		
		"5778237" "5781558"	į			
		"5796978" "5828825"				
		"5832248" "5835963"				
		"5848247" "5860127"				
		"5862387" "5867726"				
		"5884092" "5896550"			,	
		"5903779" "5918045"				
1		"5922066" "5930523"			İ	
		"5930833" "5944841"				
		"5950012" "5953538"				
		"5956477" "5978874"				
		"5978902" "5983017"				
		"5983379" "6023757"				
		"6038582" "6038661"				
		"6091629" "6092172"				
1		"6112297" "6243732"				
		"6687262").PN.				
		,	LIC BCDUS	0.5	0.11	2005/40/44 12 26
L6	38	((((data byte word) near5 (align\$4	US-PGPUB;	OR	ON	2005/10/14 13:26
		unalign\$4)) same mask\$3 same	USPAT;			
		((store write) with (align\$4	EPO; JPO;			
		unalign\$4))) and @ad <	DERWENT;			
***************************************		"20010828") and (align\$4 with	IBM_TDB			
		register)		1		